



 **SAYGILI**[®]
MAKINA

1235. Sok. (Eski 58. Sok) No:123/125 06370 **OSB Ostim / ANKARA / TÜRKİYE**

t: +90 312 354 00 61 • +90 312 354 02 68 f: +90 312 385 77 59

✉ info@saygilimakina.com.tr  www.saygilimakina.com.tr



SAYGILI®

HAVALI KUMLAMA MAKİNESİ
PNEUMATIC SANDBLASTING MACHINE

HAVALI KUMLAMA MAKİNESİ

PNEUMATIC SANDBLASTING MACHINE



HAVALI KUMLAMA MAKİNESİ

Havali kumlama makinesi basınçlı hava ile çalışmaktadır. Makineye hava bağlantısı yapılır. Basınçlı hava debisi ve kum debisi ayarlanarak temizliğin istenen düzeyde olması sağlanır. İyi bir temizlik için debisi 5-6 m³/dk olan bir kompresör uygundur. Makine tankı 220-230 lt hacminindedir. Kumlama hortumu boyu uzun tutularak kumlama yapılabilecek alan artırılır.

Havali kumlama makinesi seyyar olarak kullanılabilir.

Başlıca Kumlama Alanları:

Paslı, boyalı, çelik konstrüksiyon, profiller ve gemi yüzeylerinin temizlenip boyaya hazırlanması, döküm ve dövme çapaklarının temizlenmesi gibi çeşitli alanlarda kullanılır.

Demir, sac, alüminyum, cam malzemelerin yüzeylerinin temizlenmesi, dekoratif şekil verilmesi amacıyla da kullanılmaktadır.

MAKİNE TİPİ	Birim	HK-220
Makine Kapasitesi	litre	230
Basınç	bar	8
Makine Yüksekliği	mm	1500
Makine Genişliği	mm	1200
Çap	mm	630
Makine Ağırlığı (Boş)	kg	180

Not: Yüzey kirlilik durumuna, hava basıncına ve meme çapına bağlı olarak saatte 1 ila 7 m² alan temizlenebilir.

PNEUMATIC SANDBLASTING MACHINE

Pneumatic Shotblasting machine works with compressed air. The cleaning operation is done after the air is given. By calibrating the compressed air flow, appropriate cleaning level is arranged. For a good cleaning, a compressor about 5-6m³/min flow is appropriate. The machine tank is about 220-230 lt volume. With long sanding hose, big areas could be sandled.

The pneumatic shotblasting machine can be used as portable.

Usage Areas:

Rusted, steel construction, profiles, ship surfaces cleaning and preparing for coloring, forged steel cleaning, dump cleaning areas.

Iron, sheet, aluminium, glass material surfaces cleaning, decorative shaping purposes.

MACHINE TYPE	Unit	HK-220
Machine Capacity	liter	230
Pressure	bar	8
Machine Height	mm	1500
Machine Width	mm	1200
Diameter	mm	630
Machine Weight (Empty)	kg	180

P.S.: Depending of the surface's dirtiness, air compression and nozzle diameter conditions, in an hour 1-7 m² of area could be cleaned.

